


PRECAST
COMPOUND
WALLS


PRECAST COMPOUND WALLS

Our precast boundary wall post and panel are reinforced with special high tensile steel wires and during casting, mild-steel moulds are used in the vibrating table to have very dense reinforced cement concrete. As a result, our precast boundary walls are free from crack, resistance to effect of impact, shock, and stress.

OUR PRODUCTS ARE



More flexural bending strength
up to 3 times more compared to
conventional concrete



More fatigue resistant
up to 1 ½ times




Greater resistance to damage
in case of heavy impact



Less permeability
i.e. less porous



Less plastic shrink crack



Less drying shrink crack

STANDARD POST & PANEL SPECIFICATIONS:

S.No	Item Name	Height	Width	Thickness
1.	Pillar Post	7ft/8ft/9ft 10ft/11ft/12ft	-	6"x6"
2.	Pillar Post with Holder	7ft/8ft/9ft	-	6"x6"
3.	Pillar Post for Name Plate	8ft/9ft	-	6"x6"
4.	Panel	1ft/2ft/3ft 4ft/5ft/6ft	1ft	2"

FEATURES OF PRECAST BOUNDARY WALL:



Economical when compared to the traditional brick or similar wall



Space saving and low maintenance



Easy to erect and more safer than bricks boundary wall



Plastering not required



Minimum labour needed



We can shift wall from one place to another wall



Better than barbed -wire fencing



We can decorate it in different shape, design and colour

DESIGNER WALL PANEL :

Length :	7 ft
Height :	1 ft
Thickness :	2 in

Product ID :
RX3P06


Product ID :
RX3P05

Product ID :
RX3P04




Product ID :
RX3P03

Product ID :
RX3P02

Product ID :
RX3P01



PRECAST COMPOUND WALL DESIGNS





Product ID : RX3W01



Product ID : RX3W02



Product ID : RX3W03




Product ID :RX3W04



Product ID : RX3W05

DESIGNER POST BRICKS

Size	10"x10"
Thickness :	2.5"



PRECAST LABOUR ROOM, TOILET, ETC

Our precast labour room, guard room, storage room, toilet, etc are easy installation, required less space, less time and moreover less expensive.

FEATURES:



Less labour requirement for constructions of these rooms and toilets.



High strength due to RCC panel and poles manufactured in controlled environment with high quality standards.



Less cost when compared to conventional brick structure.



Installed at any location with lesser time.





HEAD OFFICE:

Podhigai Natural Resources Pvt Ltd,
20, Raj Nagar, NGO 'A' Colony,
Tirunelveli-627 007.

Mr. Nathan, 99423 67651
Mr. Muthu, 84380 44490

Ph: 0462-2551445,
Email: podhigainatural@gmail.com

GST: 33AAJCP2294B1ZN

FACTORY:

RX3 Precast Factory
Near KR Crusher, Arasakullam,
Srivaikundam Taluq,
Tuticorin- 628 622

www.rx3.in

RETAIL OUTLETS:

Podhigai

221/4A, Fourlane National Highway,
(Opp: Jeyam Metals Roof),
Reddiyaratti,
Tirunelveli- 627 007.

Ph: 84380 44492

Podhigai

3/43-G, Philomi Nagar,
Adaikalapuram,
Tuticorin- 628 217

Ph: 84380 44491

Podhigai

Main Road, Nakkal Madam,
(Opp: Swami Masala)
Thirupathisaram,
Kanyakumari- 629 901

Ph: 84381 42764